

Variety Description Key

For the pulse crop types of Fababeans, Field Beans and Lentils, a "CHECK CHARACTERISTICS" box has been placed at the bottom of each table, to display the long term yield, number of site years, maturity and any other check attributes.

For the Field Pea table, a grey box has been placed at the bottom of the table and displays the Grand Mean for Yield (bu/acre) and the corresponding LSD value ($p < 0.05$).

Except for long term average yield, variety description information was obtained from the Co-operative Registration Trials.

"Resistance to" ratings: VG = Very Good; G = Good; F = Fair; P = Poor; VP = Very Poor; "n/a" = not available

In the Fababeans, Field Bean and Lentil tables, Site Years Tested is the cumulative number of locations over the years that a variety has been tested either against the check variety. In the Field Pea table, Site Years Tested is the cumulative number of locations over the years that a variety has been tested. The more site years, the more dependable the data.

☉ Indicates a variety that is protected by Plant Breeder's Rights or a variety where protection has been applied for but not yet granted at time of printing.

TKW (Thousand Kernel Weight) is the weight in grams of 1000 seeds.

Key to 2012 Yield Tables

Yields derived over 2 or more growing seasons are the best indicator of variety performance. For new varieties, the average yield over all sites is more reliable than data from a single location. Use single site year data with caution.

CV % = Coefficient of Variation. A measure of random variation in a trial. A low CV is desirable.

LSD = Least Significant Difference. Varieties must differ by the LSD to be considered significantly different from one another.

Sign Diff = Significant Difference. Indicates if a real difference exists between varieties at an individual site.

Pulse Crops

***“Let us help you find
the right track”***



**MAXIMIZE
YOUR
PROFIT**

New variety releases every year make your choices more complicated. Your local seed grower and retailer has the knowledge and experience to help you.

**Manitoba
SEED GROWERS'**

Association

Manitoba Seed Growers' Association

Box 121, RR#3, Carman, MB

204-745-6274

www.seedmanitoba.ca

Comments:

The fababeen variety trials were tested by MCVET and partially sponsored by the Manitoba Pulse Growers Association.

In 2012, trials were located at Arborg, Melita and Roblin. However, Arborg and Melita trials were lost due to disease and the Roblin trials had excess moisture damage. Data is reprinted from 2011.

Variety Descriptions

Variety	Yield % Check	Site Years Tested	Type ¹	Seed Size TKW (g)	Tannin ¹ 2011 Yield % of CDC Fatima		Zero Tannin ¹ 2011 Yield % of Snowbird	
					Arborg	Roblin	Arborg	Roblin
CDC Fatima	100	30	Tannin	523	100	100	—	—
Florent [®]	103	8	Tannin	523	105	117	—	—
Taboar [®]	95	10	Tannin	471	103	114	—	—
Snowbird [®]	100	8	Zero Tannin	502	—	—	100	100
Varieties that are being tested or proposed for registration								
FB34-2	93	5	Zero Tannin	347	—	—	93	89
Divine	102	11	Tannin	551	109	111	—	—
Melodie	108	11	Tannin	516	122	128	—	—
CHECK CHARACTERISTICS					CDC Fatima (lb/acre)			
CDC Fatima	3628 lb/ac	30 site years			CV %	7.1	6.9	
					LSD %	12	11	
					Sign Diff	Yes	Yes	
					Snowbird (lb/acre)		5439	4909
CDC Snowbird	4927 lb/ac	8 site years			CV %		11.8	4.8
					LSD %		20	8
					Sign Diff		Yes	Yes

¹ Traditionally tannin fababeen tan coloured seed coats contain tannins and can't be fed directly to livestock. Zero tannin fababeans have white seed coats and can be fed directly to livestock.



Manitoba
Pulse Growers
Association Inc.

MPGA is proud to support the MCVET pulse and soybean post-registration variety trials.

Working for You

For more information on how
your check-off dollars work for you visit

www.manitobapulse.ca

FIELD BEANS — Western Manitoba Adaptation Trials (formerly called Narrow Row trials)

Comments:

Long term yield data and days to maturity are from Manitoba Pulse Growers Association Trials grown in 10 to 12 inch row spacing.

More detailed measurements from the trials are available to MPGA members and will be distributed in the December Special Edition of the Pulse Beat magazine.

Days to maturity is critical. Do not select a variety that will not mature in time, under normal growing conditions. Early fall frost severely affects yield and quality.

Consult your local MASC agent for information on insurability of edible beans in your area.

Variety Descriptions

Bean Class	Variety	Years Tested					Yield % Check	Site Years Tested	Days to ¹ Maturity	Plant ² Type
		2012	2011	2010	2008	2007				
Small Seeded Types							% of Envoy		+/- Envoy	
Navy	Envoy	x	x	x	x	x	100	33	0	I
Navy	Skyline☉	x	x	x			80	5	3	I
Navy	Lightning	x	x	x			117	5	2	II
Navy	OAC Spark	x	x				111	5	-4	I
Navy	1190m-13	x	x				128	5	-4	III
Black	Carman Black	x	x				146	5	1	II
Black	CDC Jet	x	x	x	x	x	110	24	2	II
Black	CDC Superjet	x	x				86	3	2	II
Black	CDC Blackcomb	x	x	x	x		132	5	-2	II
Large Seeded Types							% of CDC Pintium		+/- CDC Pintium	
Pinto	AC Ole		x	x	x		122	11	8	II
Pinto	CDC Pintium	x	x	x	x	x	100	33	0	I
Pinto	Winchester	x					105	4	5	II
Pinto	Island	x	x	x	x		118	10	3	II
Pinto	Mariah☉	x	x	x			110	5	4	II
Pinto	Winmor	x	x	x	x		122	7	5	II
Pinto	2537-12	x					87	3	-2	I
Pinto	CDC WM-2☉	x	x	x			110	5	4	III
Pink	2171-2		x				113	2	1	I
Yellow	CDC Sol☉		x				110	2	19	I
CHECK CHARACTERISTICS							Yield	Site	Days to	
Bean Grouping		Check Varieties					(lbs/acre)	Years	Maturity	
Small seeded		Envoy					1778	33	101	
Large seeded		CDC Pintium					2008	33	98	

1 Maturity data provided to compare relative differences among varieties - actual maturity will vary depending on seasonal growing conditions.

2 Growth Habit: I - determinate bush, II - indeterminate bush, III - indeterminate vine

FIELD BEANS — Wide Row Trials

Varieties or Lines Tested for the First Time in 2012

Navy: ISB 1815-2, ISB 1816,

Pinto: Max, Sequoia, CDC WM-2

Black: CDC Blackcomb

Small Red: SR47-3-3

Great Northern: GN13-10-1, 99118

Light Red Kidney: 9350, 9351

Comments:

Individual site and more detailed measurements from these trials are available to Manitoba Pulse Growers Association (MPGA) members and are distributed free in the Winter Edition of the Manitoba Pulse Beat to all MPGA members in good standing.

Long term yield data and days to maturity are from Manitoba Pulse Growers Association Trials conducted by Agriculture and Agri-Food Canada. Results are from row crop trials located at Morden, Portage, Carman/Graysville, and Winkler/Plum Coulee sites.

Days to maturity is critical. Do not select a variety that will not mature in time, under normal growing conditions. Early fall frost severely affects yield and quality. Consult your local MASC agent for information on insurability of edible beans in your area.

Variety Descriptions¹

MARKET CLASS/Variety	Years Tested						Yield %	Site Years	Days to ² Maturity
	2012	2011	2010	2009	2008	2007	Check	Tested	+/- Check
NAVY							% of Envoy		+/- Envoy
AC Cruiser	x	x	x	x	x	x	122	41	5
Cargo	x	x	x	x	x	x	104	37	-1
Envoy	x	x	x	x	x	x	100	57	0
Galley		x	x	x	x	x	113	22	3
Aspen	x						120	16	3
HY4181		x	x	x			123	9	2
Lightning	x	x	x	x	x		125	17	1
Portage	x	x	x	x			130	13	1
OAC Spark	x	x	x				101	17	-4
T9903	x	x	x	x	x	x	119	33	1
T9905	x	x	x	x			139	13	5
Varieties that are registered in the US or being tested or proposed for registration in Canada									
07073		x					100	4	4
ISB 1815-2	x						130	4	1
ISB 1816	x						128	4	4
Indi	x		x				135	5	4
NA06-002		x					80	4	5
PINTO							% of Windbreaker		+/- Windbreaker
AC Ole	x	x	x	x	x	x	91	23	-1
AC Pintoba	x	x	x	x		x	94	30	3
CDC WM-2☼	x						89	4	0
Island			x	x	x		83	11	-4
Mariah☼	x	x	x	x	x		93	17	-1
Maverick	x	x	x	x	x	x	90	26	1
Medicine Hat☼	x			x	x		90	16	-4
Winchester		x					86	4	-2
Windbreaker	x	x	x	x	x	x	100	34	0
Varieties that are registered in the US or being tested or proposed for registration in Canada									
Max	x						91	4	4
Sequoia	x						84	4	5
Stampede☼	x			x			92	7	2
06185		x					90	4	3
06189		x					92	7	2
cob 2824-99	x	x	x				97	10	-1
GTS 907	x	x	x				100	10	0
La Paz		x	x	x			96	14	2
Sinaloa		x					95	7	2
PIN DJ09-1012		x					103	4	0
ND 307☼	x			x			102	7	4
C6V-1237	x						93	4	-1
BLACK							% of Eclipse		+/- Eclipse
Black Violet	x	x	x	x	x		96	18	2
Carman Black	x	x	x	x			96	13	1
CDC Jet	x	x	x	x	x	x	92	22	1
Eclipse☼	x	x	x	x	x		100	22	0
CDC Superjet	x	x	x				89	10	1
CDC Blackcomb	x						87	4	1
Varieties that are registered in the US or being tested or proposed for registration in Canada									
04352		x					84	4	4
06252		x	x	x			84	9	3
06253		x					79	4	1
Bandit		x	x				75	6	dfm 3
Black Velvet			x				103	6	3
PINK							% of ROG 922		+/- ROG 922
Varieties that are registered in the US or being tested or proposed for registration in Canada									
Pink Floyd				x	x	x	109	8	0
ROG 922		x		x	x		100	12	0
SMALL RED							% of AC Earlired		+/- AC Earlired
AC Earlired	x	x		x	x	x	100	44	0

FIELD BEANS (continued)

MARKET CLASS/Variety	Years Tested						Yield %	Site Years	Days to ² Maturity
	2012	2011	2010	2009	2008	2007	Check	Tested	+/- Check
Varieties that are registered in the US or being tested or proposed for registration in Canada									
SR47-3-3	x						113	4	5
09304		x					122	4	7
CRANBERRY							% of Cran 09		+/- Cran 09
Cran 09	x	x	x	x	x	x	100	44	0
Etna	x	x	x	x	x	x	99	36	2
Red Rider		x	x				87	7	dfm ³
GREAT NORTHERN							% of Beryl		+/- Beryl
Beryl R	x			x	x	x	100	45	0
Varieties that are registered in the US or being tested or proposed for registration in Canada									
GN13-10-1	x						85	3	1
99118	x						94	7	1
DARK RED KIDNEY							% of ROG802		+/- ROG802
ROG802		x	x	x	x		100	31	0
OAC Redstar		x	x				105	7	dfm ³
Varieties that are registered in the US or being tested or proposed for registration in Canada									
Red Rover			x				67	3	1
LIGHT RED KIDNEY							% of Pink Panther		+/- Pink Panther
Foxfire		x	x	x	x		94	31	-3
Pink Panther	x	x	x	x	x		100	34	0
Varieties that are registered in the US or being tested or proposed for registration in Canada									
Clouseau	x		x		x		104	6	2
9350	x						109	3	-1
9351	x						91	3	-2
WHITE KIDNEY							% of Pink Panther		+/- Pink Panther
GTS 402	x	x					87	14	-2
YELLOW							% of Windbreaker		+/- Windbreaker
CDC Sol [®]	x	x	x				81	10	6
Varieties that are registered in the US or being tested or proposed for registration in Canada									
8560863		x					57	4	dfm ³
Check Varieties	Bean Type		First Year Tested		Yield lbs/acre		Site Years Tested		Days to Maturity
Envoy	Navy		1994		2021		57		100
Windbreaker	Pinto/Yellow		2002		2691		34		97
Eclipse	Black		2005		2307		22		100
ROG 922	Pink		2005		1964		12		100
AC Earlired	Small Red		1999		2262		44		94
Cran 09	Cranberry		2000		1875		44		99
Beryl R	Great Northern		2002		2483		45		100
ROG802	Dark Red Kidney		1997		1728		31		101
Pink Panther	Light Red Kidney/White Kidney		2001		2016		34		100

1 Long term Average Yield is the best indicator of variety performance. Use single site-year data with caution.

2 Due to different weather conditions each year, the actual number of days it takes a variety to fully mature varies from year to year. Choosing a variety that needs a longer growing season than your farm increases your risk of frost damage and lower returns.

3 Indicates variety did not mature in one or more sites.

FOR REFUGE MADE EASY, PULL HERE.



INTRODUCING ABOVE GROUND PROTECTION IN A SINGLE-BAG REFUGE SOLUTION.

- ✓ **No more separate, structured refuge.**
- ✓ **Simple and convenient.** Fence row to fence row planting, thanks to single-bag solution.
- ✓ **95/5 blend** - plant the most insect protected acres.
- ✓ **Roundup Ready Corn 2 Technology** for broad-spectrum weed control.



VISIT YOUR SEED REP OR GENUITYTRAITS.CA

EVERY KERNEL MATTERS TO US, BECAUSE EVERY BUSHEL MATTERS TO YOU.

ALWAYS FOLLOW GRAIN MARKETING AND ALL OTHER STEWARDSHIP AND PESTICIDE LABEL DIRECTIONS. Details of these requirements can be found in the Trait Stewardship Responsibilities Notice to Farmers printed in this publication. Genuity and Design®, RIB Complete™, RIB Complete and design™, VT Double PRO™ are trademarks of Monsanto Technology LLC, Monsanto Canada Inc. licensee. ©2012 Monsanto Company

LENTILS

Comments:

The lentil variety trial is coordinated with the Saskatchewan Regional Variety testing program; therefore the seed source is the same as used in the Saskatchewan trials.

The lentil variety trial was tested by MCVET and partially sponsored by the Manitoba Pulse Growers Association.

Clearfield lentils are tolerant to the herbicide Odyssey. These varieties are easily identified by the "CL" designation at the end of the name.

Variety Descriptions

Market Class	Variety	Yield	Site	Maturity ¹	Resistance to		Seed Wt (TKW)	Cotyledon Colour	2012 Yield:
		% Check	Years Tested		Asochyta Blight	Anthrachnose ¹ Race			% of CDC Redberry Hamiota
Small green	CDC Invincible CL	78	9	Early	G	G	35	Yellow	90
	CDC Milestone	89	17	Early	G	VP	37	Yellow	—
	Eston	88	14	Early	VP	VP	33	Yellow	—
Medium green	CDC Imigreen CL	65	9	Medium	G	F	63	Yellow	71
	CDC Impress CL	71	11	Medium	G	P	52	Yellow	81
	CDC Richlea	91	14	Medium	VP	VP	51	Yellow	—
Large green	CDC Greenland	74	14	Med/Late	G	VP	64	Yellow	—
	CDC Impower CL	68	5	Medium	G	P	74	Yellow	—
	CDC Improve CL	77	14	Medium	F	VP	67	Yellow	67
	CDC Plato	77	18	Med/Late	G	P	62	Yellow	79
	Laird	69	14	Very Late	VP	VP	67	Yellow	—
French green	CDC Peridot CL	81	9	Early	G	P	40	Yellow	78
Extra small red	CDC Robin	84	17	Early	G	G	30	Red	—
	CDC Impala CL	84	11	Early	G	G	31	Red	84
	CDC Imperial CL	83	15	Early	G	G	30	Red	83
	CDC Redbow	88	8	Early/Med	G	G	42	Red	—
	CDC Rosebud	90	8	Early	G	G	29	Red	—
	CDC Rosetown	94	15	Early	G	G	31	Red	104
Small red	CDC Imax CL	85	9	Medium	G	G	50	Red	95
	CDC Impact CL	82	14	Early	G	P	34	Red	—
	CDC Maxim CL	103	11	Early/Med	G	G	40	Red	112
	CDC Red Rider	92	5	Early/Med	G	F	45	Red	—
	CDC Redberry	100	18	Early/Med	G	G	42	Red	100
	CDC Redcoat	82	8	Early	G	G	40	Red	—
Large red	CDC KR-1	79	8	Medium	G	G	56	Red	—
CHECK CHARACTERISTICS							CDC Redberry (lb/ac)		3222
CDC Redberry		3022	18					CV%	4.1
		lb/ac	site years					LSD%	7
								Sign Diff	Yes
								Seeding Date	15-May
								Harvest Date	24-Sep

¹ Ratings determined in Saskatchewan and may not be accurate under wetter growing conditions present in Manitoba.

DO YOUR VARIETIES MEASURE UP?



"AC" is an official mark used under license from Agriculture and Agri-Food Canada.



SEE FOR YOURSELF



FIELD PEAS

New for 2013

Variety	Code	Type	Distributor	Seed Availability
CDC Saffron	CDC 2093-22	Yellow	Saskatchewan Pulse Growers	2014

Comments:

The field pea variety trial is coordinated with the Saskatchewan Regional Variety testing program; therefore the seed source is the same as used in the Saskatchewan trials.

Variety Descriptions

Variety	Site Years Tested	Yield bu/acre	Relative ¹ Maturity	Relative ¹ Vine Length	Seed Size (TSW)	Resistance to:							
						Green ² seed coats	Lodging	Powdery Mildew	Mycos- phaerella			Seed Coat Breakage	Seed ⁴ Coat Dimpling
						Fusarium ³ Wilt			Bleaching	F			
Yellow													
Agassiz☼	34	72	E-M	M	230	n/a	G	VG	F	F	n/a	G	n/a
Argus ☼	14	67	M	M	230	n/a	G	VG	F	F	n/a	F	n/a
Canstar	20	69	E	M	240	n/a	G	VG	P	G	n/a	G	n/a
CDC Bronco	31	59	M	M	230	G	G	VG	F	F	n/a	G	G
CDC Centennial	20	69	E	M	270	F	F	VG	F	F	n/a	G	G
CDC Golden	39	64	M	M	230	G	G	VG	F	F	n/a	G	G
CDC Hornet	27	67	M	M	220	G	G	VG	F	F	n/a	F	G
CDC Meadow	47	70	E	M	220	G	G	VG	F	F	n/a	G	G
CDC Minuet	22	67	M	M	190	F	F	VG	F	F	n/a	F	G
CDC Mozart	38	67	M	S	220	F	F	VG	F	F	n/a	G	G
CDC Prosper	29	62	E	M	150	G	G	VG	F	G	n/a	G	F
CDC Saffron	5	66	M	M	250	G	G	VG	F	P	n/a	G	G
CDC Treasure	34	67	E	M	210	G	G	VG	F	G	n/a	F	F
Cutlass	62	65	M	M	220	G	G	VG	F	F	n/a	F	F
DS-Admiral☼	20	65	E	M	240	G	G	VG	F	F	n/a	G	G
Eclipse☼	66	68	M	M	250	G	G	VG	F	F	n/a	G	F
FUSION	21	66	M	M	245	n/a	G	VG	P	P	n/a	F	n/a
Hugo ☼	14	67	M	M	220	n/a	G	VG	F	G	n/a	G	n/a
Polstead☼	35	67	M	S	280	n/a	G	VG	P	P	n/a	F	n/a
Reward☼	20	68	M	M	240	n/a	G	VG	F	F	n/a	G	n/a
SW MIDAS☼	29	66	E	M	220	G	G	VG	F	F	n/a	G	G
SW SALUTE	23	66	M	M	220	F	F	VG	F	P	n/a	F	F
Sorento☼	28	67	M	M	260	n/a	F	VG	F	F	n/a	G	n/a
Thunderbird☼	26	69	M	M	220	n/a	G	VG	F	F	n/a	G	n/a
Tudor	19	65	M	M	270	F	G	VG	P	F	n/a	F	G
Green													
CDC Montero	24	63	L	M	230	n/a	F	VG	F	F	F	G	F
CDC Patrick	33	65	M	M	190	n/a	G	VG	F	G	G	G	F
CDC Pluto	9	66	M	M	160	n/a	F	VG	F	F	G	G	n/a
CDC Sage	19	57	M	M	220	n/a	G	VG	F	G	G	G	F
CDC Striker	55	62	M	M	230	n/a	G	P	F	G	G	VG	G
CDC Tetris	20	66	L	M	210	n/a	G	VG	F	G	G	G	G
COOPER☼	47	66	L	M	270	n/a	G	VG	F	F	G	F	G
Nitouche	12	63	M	M	250	n/a	G	P	P	P	G	F	F
Other Pea types													
CDC Rocket (Maple)	19	61	M	M	210	G	F	VG	F	n/a	n/a	n/a	G
CDC Dakota (Dun)	14	72	M-L	M	205	n/a	G	VG	F	n/a	n/a	n/a	G
CDC Mosaic (Maple)	14	58	M-L	M	180	n/a	G	VG	F	n/a	n/a	n/a	G
CDC Horizon (Silage)	14	60	M	M	170	F	G	VG	F	n/a	n/a	n/a	G
CDC Leroy (Silage)	20	58	M	M	150	F	G	VG	F	n/a	n/a	n/a	G
CDC Tucker (Silage)	21	62	M	M	170	F	G	VG	F	n/a	n/a	n/a	G
Stella (Silage) ☼	13	57	L	M	220	n/a	G	VG	F	F	n/a	G	n/a
GRAND MEAN (bu/acre)		62											
LSD (bu/acre) (0.05)		5											

1 The relative maturity of the variety Cutlass is 99 days (Medium). Please add 3 - 4 days for each rating beyond Medium. The relative vine length for Cutlass is 34 inches (Medium)

2 Green seed coats: G = 0-10%; F = 11-25%

3 Varieties which show good disease tolerance to one strain of Fusarium wilt may be susceptible to other strains.

4 Seed coat dimpling rating : VG = 0-5%; G = 6-20%; F = 21-50%

Yield Comparisons

2012 Average Yield		2012 Yield (bu/acre)				
Variety	(bu/acre)	Arborg	Boissevain	Hamiota	Melita	Thornhill
Yellow						
Agassiz🌾	67	52	82	85	47	67
Argus🌾	67	51	86	80	54	65
CDC Hornet	70	54	84	92	52	68
CDC Meadow	69	58	81	92	53	62
CDC Saffron	68	59	84	79	47	70
CDC Treasure	63	54	86	91	54	32
Cutlass	67	54	86	81	59	55
Hugo🌾	68	60	82	76	56	65
Sorento🌾	71	57	85	93	59	60
Green						
CDC Patrick	64	51	85	76	48	62
CDC Tetris	64	54	85	71	42	68
Other						
CDC Dakota	74	52	91	97	51	77
CDC Mosaic	64	52	76	71	51	69
CDC Horizon	63	52	79	72	48	66
Stella🌾	53	38	69	60	49	52
SITE GRAND MEAN (bu/acre)		53	83	81	51	62
CV %		5.5	5.8	4.8	9.0	14.0
LSD (bu/ac)		5	8	7	8	15
Sign Diff		Yes	Yes	Yes	Yes	Yes
Seeding Date		10-May	09-May	15-May	25-Apr	04-May
Harvest Date		13-Aug	27-Aug	10-Sep	31-Jul	23-Aug

Some things have changed,



some haven't.

Manitoba farmers are still producing some of the world's finest crops and livestock, and we're bringing them the information to help them do it even better.

SERVING MANITOBA FARMERS SINCE 1927
www.manitobacooperator.ca



Distributor Contacts for Varieties in Seed Manitoba 2013

Look up variety within the correct CROP KIND to find the company, then look for company phone number in the box at bottom of section.

FABABEANS

CDC Fatima	Legumex Walker Canada Inc.
Florent	Legumex Walker Canada Inc.
Snowbird	Bob Park
Taboar	Terramax Holding Corp.

FIELD BEANS

NAVY (WHITE)

AC Cruiser	Hensall District Coop
Aspen	Saskcan Pulse Trading
Cargo	Various Bean Dealers
Envoy	Various Bean Dealers
Galley	AAFC - Harrow
HY4181	Hyland Seeds - Beans
Lightning	Hensall District Coop
OAC Spark	University of Guelph
Portage	CANTERRA SEEDS
Skyline	Terramax Holding Corp.
T9903	Hyland Seeds - Beans
T9905	Hyland Seeds - Beans

PINTO

AC Ole	Various Bean Dealers
AC Pintoba	CANTERRA SEEDS
CDC Pintium	Various Bean Dealers
CDC WM-2	University of Saskatchewan
Island	AAFC - Harrow
Maverick	Various Bean Dealers
Mariah	CANTERRA SEEDS
Medicine Hat	CANTERRA SEEDS
Winchester	Various Bean Dealers
Windbreaker	CANTERRA SEEDS
Winmor	Viterra - BSC

BLACK

Black Violet	Viterra - BSC
Carman Black	Agriculture and Agri-Food Canada
CDC Blackcomb	University of Saskatchewan
CDC Jet	Ben Martens Charlois & Seed
Eclipse	Duncan Seeds
CDC SuperJet	Ben Martens Charlois & Seed

SMALL RED

AC Earlied	Saskcan Pulse Trading
------------	-----------------------

CRANBERRY

Cran 09	Various Bean Dealers
Etna	Seminis Vegetable Seeds
Red Rider	SeCan

GREAT NORTHERN

Beryl R	Various Bean Dealers
---------	----------------------

DARK RED KIDNEY

OAC Redstar	SeCan
-------------	-------

LIGHT RED KIDNEY

Foxfire	Various Bean Dealers
Pink Panther	Various Bean Dealers

WHITE KIDNEY

GTS 402	Various Bean Dealers
---------	----------------------

YELLOW

CDC Sol	Legumex Walker Canada Inc.
---------	----------------------------

LENTILS

CDC Greenland	Saskatchewan Pulse Growers
CDC Imax CL	Saskatchewan Pulse Growers
CDC Imigreen CL	Saskatchewan Pulse Growers
CDC Impact CL	Saskatchewan Pulse Growers
CDC Impala CL	Saskatchewan Pulse Growers
CDC Imperial CL	Saskatchewan Pulse Growers
CDC Impower CL	Saskatchewan Pulse Growers
CDC Impress CL	Saskatchewan Pulse Growers
CDC Improve CL	Saskatchewan Pulse Growers
CDC Invincible CL	Saskatchewan Pulse Growers
CDC KR-1	Saskcan Pulse Trading
CDC Maxim CL	Saskatchewan Pulse Growers
CDC Milestone	Saskatchewan Pulse Growers
CDC Peridot CL	Saskatchewan Pulse Growers
CDC Plato	Saskatchewan Pulse Growers

LENTILS

CDC Red Rider	Saskatchewan Pulse Growers
CDC Redberry	Saskatchewan Pulse Growers
CDC Redbow	Saskatchewan Pulse Growers
CDC Redcoat	Saskatchewan Pulse Growers
CDC Richlea	Saskatchewan Pulse Growers
CDC Robin	Saskatchewan Pulse Growers
CDC Rosebud	Saskatchewan Pulse Growers
CDC Rosetown	Saskatchewan Pulse Growers

FIELD PEAS

Agassiz	CANTERRA SEEDS
Argus	SeCan
Canstar	Canseed (Canada) Ltd.
CDC Bronco	Saskatchewan Pulse Growers
CDC Centennial	Saskatchewan Pulse Growers
CDC Dakota	Saskatchewan Pulse Growers
CDC Golden	Saskatchewan Pulse Growers
CDC Hornet	Saskatchewan Pulse Growers
CDC Horizon	Saskatchewan Pulse Growers
CDC Leroy	Saskatchewan Pulse Growers
CDC Meadow	Saskatchewan Pulse Growers
CDC Minuet	Saskatchewan Pulse Growers
CDC Montero	Saskatchewan Pulse Growers
CDC Mosaic	Saskatchewan Pulse Growers
CDC Mozart	Saskatchewan Pulse Growers
CDC Patrick	Saskatchewan Pulse Growers
CDC Pluto	Saskatchewan Pulse Growers
CDC Prosper	Saskatchewan Pulse Growers
CDC Rocket	Saskatchewan Pulse Growers
CDC Saffron	Saskatchewan Pulse Growers
CDC Sage	Saskatchewan Pulse Growers
CDC Striker	Saskatchewan Pulse Growers
CDC Tetris	Saskatchewan Pulse Growers
CDC Tucker	Saskatchewan Pulse Growers
CDC Treasure	Saskatchewan Pulse Growers
COOPER	CANTERRA SEEDS
Cutlass	Saskatchewan Pulse Growers
DS-Admiral	FP Genetics
Eclipse	FP Genetics
FUSION	CANTERRA SEEDS
Hugo	Alliance Seed Corporation
Nitouche	FP Genetics
Polstead	FP Genetics
Reward	SeCan
Sorento	FP Genetics
Stella	Alliance Seed Corporation
SW MIDAS	FP Genetics
SW SALUTE	FP Genetics
Thunderbird	CANTERRA SEEDS
Tudor	FP Genetics

DISTRIBUTOR

PHONE NUMBER

AAFC - Harrow	1-519-738-2251
Agriculture and Agri-Food Canada	1-613-773-1000
Alliance Seed Corporation	1-877-270-2890
Ben Martens Charlois & Seed	1-204-534-6952
Bob Park	1-403-782-4821
Canseed (Canada) Ltd.	1-780-674-2595
CANTERRA SEEDS	1-877-439-7333
University of Saskatchewan	1-306-966-5855
Duncan Seeds	1-204-822-6629
FP Genetics	1-877-791-1045
Hensall District Coop	1-204-295-3938
Hyland Seeds - beans	1-204-745-7179
Legumex Walker Canada Inc.	1-204-829-2326
Saskatchewan Pulse Growers	1-306-668-5556
Saskcan Pulse Trading	1-306-525-4490
SeCan	1-800-665-7333
Seminis Vegetable Seeds	1-519-351-7640
Terramax Holding Corp	1-306-699-7368
University of Guelph	1-519-824-4120
Viterra - BSC	1-204-745-6711

Growers List



FABABEANS

S=Select; F=Foundation; R=Registered; C=Certified; ☼ Indicates Plant Breeders' Rights protected. Other varieties may have PBR protection pending.

FLORENT☼

Dauphin; Fisher Seed Farms Ltd.....	204-622-8800	C
Dauphin; Ritchie, John Ross & Raymond	204-638-7543	R
Dauphin; Ritchie, Raymond.....	204-638-7543	R

TABASCO☼

Warren; Riddell, Clifford Royden & Craig Thomas	204-227-5679	S F
---	--------------	-----

FIELD BEANS

AC OLE

Winkler; Ens, Abram E. & Christopher & Friesen, Jake	204-325-4658	F
--	--------------	---

CARGO

Mac Donald; Adrain, Glen & Gillespie, Gerald G.	204-274-2251	C
--	--------------	---

CDC PINTIUM

Boissevain; Martens, Ben F. & John J. & Ryan	204-534-6952	C
--	--------------	---

CDC SOL☼

High Bluff; Lytle, Robert	204-857-9950	F
Treherne; Huggart, Ray & Walker, Legumet.....	204-723-2125	C
Treherne; Pritchard, Ian & Harvey	204-749-2284	C

CDC SUPERJET

Boissevain; Martens, Ben F. & John J. & Ryan	204-534-6952	R
--	--------------	---

ENVOY

Hensall; Hensall District Co-Operative Inc.	519-262-3002	C
Mac Donald; Adrain, Glen & Gillespie, Gerald G.	204-274-2251	C

LIGHTNING

Hensall; Hensall District Co-Operative Inc.	519-262-3002	C
Winkler; Ens, Abram E. & Christopher & Friesen, Jake	204-325-4658	C

PORTAGE

Mac Gregor; Hulme, Lorne.....	204-685-2627	S F
Portage; Munro, Clarke Allan & Jared Cory & Trevor Clarke.	204-857-8272	C

WINDBREAKER

Altona; Wiebe, Henry D. & Lloyd	204-324-8036	C
Portage; Sissons, Grant G., Donald Angus & Blye	204-857-7341	C
St. Joseph; Parent, Renald & Paul	204-737-2625	C

PEAS

S=Select; F=Foundation; R=Registered; C=Certified; ☼ Indicates Plant Breeders' Rights protected. Other varieties may have PBR protection pending.

ABARTH☼

Domain; Manness, Ronald & Patricia & Graeme	204-736-2622	S
Hamiota; Knight, Ronald M. & Jeff	204-764-2450	S

AGASSIZ☼

Decker; Murray, Donald H. & Ryan.....	204-764-2733	S C
Domain; Manness, Ronald & Patricia & Graeme	204-736-2622	R
Glenboro; Jefferies, Ron.....	204-827-2102	C
Stonewall; Unger, Ronald K. & Darcy.....	204-467-8630	R C
Viriden; Heaman, Douglas J., Walter, Robert & Kenneth...	204-748-2666	C

ARGUS☼

Domain; Manness, Clayton & Scott & Alan.....	204-736-2922	R
--	--------------	---

CDC MEADOW

Boissevain; Peters, Scott.....	204-534-6692	C
Brandon; Wheat City Seeds Ltd.	204-727-3337	C
Brandon; Whetter, Rodney & Darren	204-727-0045	R
Foxwarren; Graham, George Arthur	204-683-2367	C
Hamiota; Knight, Ronald M. & Jeff	204-764-2450	R C
Holland; Kubinec, Anastasia.....	204-526-2776	C
Holland; Patenaude, Donald & Robert	204-526-2391	C
Kenton; Stevenson, Robert H. & Sidney H.	204-838-2012	C
Miniota; Walker, Alan Glen	204-567-3647	R C
Oak Lake; Smith, Gerald R. & Leigh E.....	204-855-2808	C
Oak River; Henry, Cameron & Mc Lean, Eric	204-566-2422	C
Reston; Greig, Fred L. & Fotheringham, John A. (Jack)....	204-877-3813	C
Rivers; Redsper Ent. Ltd.....	204-328-5346	C

CDC PATRICK

Marquette; Friesen, Paul	204-322-5773	R
Medora; Vandaele, Vernon L.....	204-665-2384	C

CDC STRIKER

Boissevain; Martens, Ben F. & John J. & Ryan	204-534-6952	C
--	--------------	---

SW MIDAS☼

Hamiota; Knight, Ronald M. & Jeff	204-764-2450	C
---	--------------	---

Join the conversation

Are you dealing with issues in managing disease, insects, harvesting or storage? Join **Crop Chatter**.

If you are looking for advice, look no further than CropChatter.com. You can ask questions, post photos or just share your crop-management problems – and solutions – with other farmers.

Visit CropChatter.com today and be part of the conversation.



Unbiased crop management advice
www.cropchatter.com

- Receive updates when new information is posted.
- See something you can't identify? Post a photo and Crop Chatter's team of experts can help. The answer will be shared with others.
- Add your thoughts and share your solutions with fellow farmers.