FIELD PEAS

Variety	Yield % Check	Site Years Tested	Relative Maturity ¹	Relative Vine Length	Seed Size (TKW)	Lodging	Powdery Mildew	Mycos- phaerella blight	Fusarium Root Rot ²	Seed Coat Green ³	Breakage	Dimpling⁴	Bleaching
Yellow													
AAC Aberdeen 🕾	101	31	Long	М	250	VG	VG	F	I	G	F	F	n/a
AAC Beyond ®	96	37	Early	М	210	G	VG	F	MR	G	F	F	n/a
AAC Carver ®	100	67	Early	L	240	G	VG	F	- 1	G	G	G	n/a
AAC Chrome ®	106	40	Long	М	240	G	VG	F	I	G	G	G	n/a
AAC Delhi ®	100	28	Mid	М	290	G	VG	F	MR	G	F	G	n/a
AAC Harrison 🕾	94	15	Mid	L	223	VG	VG	F	MR	G	G	G	n/a
AAC Julius 🕾	97	23	Mid	М	210	G	VG	F	MR	G	G	G	n/a
AAC McMurphy ®	98	23	Mid	L	270	VG	VG	F	MR	G	G	G	n/a
AAC Profit ®	100	27	Mid	М	230	G	VG	F	ı	G	F	G	n/a
Boost ®	97	29	Early	М	230	G	VG	F	MR	G	VG	G	n/a
Caphorn 🖭	95	29	Mid	М	260	G	VG	F	MR	G	G	G	n/a
CDC 5791 (9) VUA	99	23	Long	L	246	G	VG	F	MR	G	VG	G	n/a
CDC 5845 @ VUA	99	17	Long	L	236	VG	VG	F	MR	G	G	G	n/a
CDC Amarillo	98	50	Long	М	230	VG	VG	F	MR	G	F	F	n/a
CDC Boundless ®	98	15	Long	L	230	VG	VG	F	MR	G	G	G	n/a
CDC Canuck ®	102	6	Long	L	240	VG	VG	F	MR	G	VG	G	n/a
CDC Citrine ®	103	23	Mid	L	230	G	VG	F	MR	G	G	G	n/a
CDC Hickie ®	98	29	Mid	М	230	VG	VG	F	MR	G	G	G	n/a
CDC Lewochko ®	100	48	Long	L	230	VG	VG	F	I	G	G	G	n/a
CDC Tollefson 🕾	103	29	Long	L	240	VG	VG	F	MR	G	G	G	n/a
ProStar ®	98	29	Early	М	240	G	VG	F	MR	G	VG	G	n/a
Varieties supported f	or registratio	n by the PF	RCPSC										
DL995-96	100	6	Early	L	195	VG	VG	F	MR	G	G	G	n/a
LAP23-0014	99	6	Early	L	250	G	VG	F	ı	G	G	G	n/a
LAP23-0017	92	6	Long	L	235	G	VG	F	I	G	G	G	n/a
Green													
CDC Forest ®	100	34	Long	L	230	G	VG	F	1	n/a	G	G	G
CDC Limerick	95	43	Long	М	210	VG	VG	F	I	n/a	VG	G	G
CDC Huskie ®	100	23	Long	М	220	G	VG	F	MR	n/a	G	G	G
CDC Spruce ®	96	19	Long	L	240	G	VG	F	I	n/a	F	F	G
Varieties supported f	or registratio	n by the PF	RCPSC										
LAP23-0004	100	6	Long	L	230	VG	VG	F	I	n/a	G	G	G
LSD (.05)	4												
CHECK CHARACTERIST													
AAC Carver ®	76 bu/ acre		89 Days										

Relative maturity ratings compared to check AAC Carver determined at Manitoba trial sites, Maturity equal or up to 2 days later consider early, 5 days plus considered long

A number of new varieties are participating in a Variety Use Agreement **VUA**. If producers purchase a VUA variety and divert some of that grain at harvest for seed use, they will be invoiced a Variety Use Fee for use of the seed. Ask your retailer about your obligations to the VUA when purchasing seed.

The Prairie Recommending Committee for Pulse and Special Crops (PRCPSC) is responsible for the testing and evaluation of pulse and special crop candidate cultivars for registration in Western Canada.

²Fusarium Root Rot- MR -Moderate Restance, I=Inderminate

³ Green seed coats: G = 0-10%; F = 11-25%

⁴ Seed coat dimpling rating: VG = 0-5%; G = 6-20%; F = 21-50%

For Protein data on Peas please go to seedmb.ca